

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/076,813	02/15/2002	Reinaldo Mario Machado	. 06206 USA	2044
23543	7590 07/11/2005		EXAMINER	
	JCTS AND CHEMIC	PUTTLITZ, KARL J		
PATENT DE 7201 HAMIL	PARTMENT TON BOULEVARD		ART UNIT	PAPER NUMBER
ALLENTOWN, PA 181951501			1621	

DATE MAILED: 07/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/076,813	MACHADO ET AL.				
Office Action Summary	Examiner	Art Unit				
	Karl J. Puttlitz	1621				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 25 April 2005.						
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ⊠ Claim(s) 1-13 is/are pending in the application. 4a) Of the above claim(s) 1-7 is/are withdrawn is 5) ⊠ Claim(s) 8-13 is/are allowed. 6) □ Claim(s) is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	from consideration.					
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date.						
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date		atent Application (PTO-152)				

Application/Control Number: 10/076,813

Art Unit: 1621

DETAILED ACTION

The outstanding rejection under section 112, second paragraph is withdrawn in view of Applicant's amendment, which provides antecedent basis for the term autoclave in claim 1.

The outstanding rejections under section 103 are withdrawn.

Namely, Ohta fails to teach or suggest to those of ordinary skill to modify its teaching to include the claimed feature of a side wall perforation in a side wall of the housing near its upper portion permitting flow from the interior of the housing to said tank. The reference also fails to suggest an agitator having a gas passageway including an opening in the headspace portion of the autoclave or effecting agitation at a point adjacent the side wall perforation in the wall of said housing.

Boger fails to teach or suggest to those of ordinary skill to modify its teaching to include the claimed feature of a side wall perforation in a side wall of the housing near its upper portion permitting flow from the interior of the housing to said tank. The reference also fails to suggest an agitator having a gas passageway including an opening in the headspace portion of the autoclave.

Witt fails to teach or suggest to those of ordinary skill to modify its teaching to include the claimed feature of at least one side wall perforation in the side wall near its upper portion permitting flow from the interior of the housing to said tank, nor effecting agitation at a point adjacent the side wall perforation in the wall of said housing.

Accordingly claims 8-13 are allowed.

Application/Control Number: 10/076,813

Art Unit: 1621

This application is in condition for allowance except for the following formal matters:

Non-elected claims 1-7 remain pending.

Prosecution on the merits is closed in accordance with the practice under Exparte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karl J. Puttlitz whose telephone number is (571) 272-0645. The examiner can normally be reached on Monday to Friday from 9 a.m. to 5 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Johann Richter, can be reached at telephone number (571) 272-0646. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/076,813

Art Unit: 1621

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Karl J. Puttlitz Assistant Examiner

Johann R. Richter, Ph.D., Esq. Supervisory Patent Examiner

Biotechnology and Organic Chemistry

Art Unit 1621 (571) 272-0646